


Lightbox 90

Single-sided LED frame

- NF-04905 / NF-04900
- NF-21905 / NF-21900
- NF-56905 / NF-56900
- Any colour possible

Specifications

- ↔ 90 mm
- 📦 1.895 kilos/metre (open) and 1.934 kilos/metre (closed)
- ↗ 6150 mm
- © CE certified
- ✓ Two-year warranty



About the Lightbox 90

This single-sided profile was designed to illuminate textile prints. The side lighting ensures that the light is distributed evenly. Blockout fabric can be placed on the inside of the frame for better light reflection.

The advantages

- ✓ Good light distribution
- ✓ Extra space for blockout fabric
- ✓ LED technology: Edge-lit
- ✓ Two-year warranty

Lightbox 90 Single-sided LED frame

Mounting



Wall-mounted

Wall mounted frames with just one textile.



Freestanding

Freestanding frame with a textile on both sides.



Attached to the ceiling

Frames suspended from the ceiling. Both horizontal as well as vertical suspension is possible.


Illumination



Edge-lit

- lit from the edge
- Good quality/price ratio
- Compactly packed, economically transportable
- Relatively low power consumption

Lightcolour



6500K

Bright white (daylight).

Stabilizers



Stabilizers


In order to guarantee the stability of the frame, stabilizers must be placed in the frame. This way the construction is sturdy.

Recommended accessories

Baseplates




Baseplate simple
FK-0100



Baseplate slim
FK-0105



Baseplate slim refined
FK-0107



Baseplate heavy
FK-0110

Wall mounts



Wall mount heavy
FK-0410

Ceiling mounts



Ceiling mount
FK-0360



Suspension cable
FK-7900

Connectors



Frame connector 150 degrees
FK-0615



Frame connector 135 degrees
FK-0620



Frame connector 90 degrees
FK-0630



Frame connector 180 degrees
FK-0640

Locksets



Lockset heavy
FK-0200



Lockset stabilizer
FK-0220



Lockset heavy short
FK-0205



**Lockset stabilizer
45°**
FK-0222

Extension sets



Extension set heavy
FK-0500



**Extension set
aluminium keeper**
FK-0532

Stabilizers



Stabilizer 43
NF-04438

Led-componenten



Powered 3LEDs
AF90-016



Powered 6LEDs
AF90-017



Powered 9LEDs
AF90-015



Powered 3LEDs
AF90-040

Led-strips



Powered 6LEDs
AF90-045



2.1W / 24V (47 cm)
AF90-035

Drivers



**Led driver 24V/30W
with cable**
AF99-338-WC



**Led driver 24V/60W
bulk**
AF99-340-BP



Led driver 24V/60W
AF99-340



**Led driver 24V/60W
with cable**
AF99-340-WC