


Lightbox Double 120

Double-sided LED frames

- NF-041250
- NF-211250
- NF-561250
- Any colour possible

Specifications

- ↔ 120 mm
- 📦 1.543 kilos/meter
- ↗ 6150 mm
- 💡 Illuminated
- Ⓢ CE certified
- ✓ Two-year warranty



About the Lightbox Double 120

The double-sided illuminated profile was designed especially for illuminating medium-sized textile prints. Available with side lighting and backlit illumination. This profile is suitable for freestanding and suspended solutions.

The advantages

- ✓ Suitable for medium-sized formats
- ✓ LED technology: Edge-lit
- ✓ Even light distribution
- ✓ Two-year warranty



Mounting



Freestanding

Freestanding frame with a textile on both sides.



Attached to the ceiling

Frames suspended from the ceiling. Both horizontal as well as vertical suspension is possible.

Finish



Closed

An even finish. If desired, holes can be drilled in the profile so that accessories can be attached.

Illumination




Edge-lit

- lit from the edge
- Good quality/price ratio
- Compactly packed, economically transportable
- Relatively low power consumption



LED on Dibond


- Even light distribution due to backlighting
- Suitable for small and medium sized frames
- Narrow frames possible
- Quick installation due to pre-assembled frame



Dynamic LED

- Available in RGB and white
- Many application possibilities
- Infinite flexibility with your own animations
- Easily adjust light intensity and colours

Lightcolour



6500K

Bright white (daylight).

Stabilizers



Stabilizers


In order to guarantee the stability of the frame, stabilizers must be placed in the frame. This way the construction is sturdy.

Recommended accessories

Baseplates




Baseplate simple
FK-0100



Baseplate slim
FK-0105




Baseplate slim refined
FK-0107




Baseplate heavy
FK-0110

Ceiling mounts



Ceiling mount
FK-0360



Suspension cable
FK-7900

Connectors



Frame Connector
FK-0668

Locksets



Lockset 120/160
FK-1200



Lockset stabilizer
FK-0220



Lockset stabilizer 45°
FK-0222

Extension sets



**Extension set
double 120/160**

FK-0534

Stabilizers



Stabilizer 43

NF-04438



Mini stabilizer

NF-56240

Led-componenten



Powered 3LEDs

AF90-016



Powered 6LEDs

AF90-017



Powered 9LEDs

AF90-015



Powered 3LEDs

AF90-040

Led-strips



Powered 6LEDs

AF90-045



2.1W / 24V (47 cm)

AF90-035

Controllers



**LED controller
dimmer**

AF92-220

Drivers



**Led driver 24V/30W
with cable**

AF99-338-WC



**Led driver 24V/60W
bulk**

AF99-340-BP



Led driver 24V/60W

AF99-340



**Led driver 24V/60W
with cable**

AF99-340-WC